











### **Swift-style steering**

The height-adjustable steering wheel in the Swift DZire and Swift 1.2 Hatch is designed to optimise your comfort. Audio control buttons built into the steering wheel let you control the audio with ease (GL).

#### **Instruments & controls**

The meter cluster offers essential information with a liquid crystal display. When the meters are illuminated, light passes through the crystal, creating a sporty, stylish look.

#### In tune

Four speakers with excellent sound quality complement the Swift DZire and Swift 1.2 Hatch's built-in digital Radio/CD unit (GL) – which is very easy to use. Steering wheel controls are a convenient addition, as are the USB input and illumination control features.

### **Practically spacious**

The generous cabin dimensions seat four in comfort with plenty of legroom, and when it comes to boot space, the Swift DZire and Swift 1.2 Hatch is modest but more flexible than you might imagine.

### **Keyless entry**

For added convenience, the Swift DZire and Swift 1.2 Hatch are equipped with a keyless entry system.


#### Swift and silent

The Swift DZire and Swift 1.2 Hatch have been designed to provide the quietest drive possible. Sound-absorbing materials and aerodynamically efficient designs, including the side rear view mirrors, ensure superb noise suppression.









### ABS (GL models only)

The Anti-lock Braking System (ABS) with brake assist and Engine Drag Control (EDC) prevent skidding and ensure a minimum stopping distance even on the most slippery roads. Adding to driving confidence, sophisticated sensors are installed to constantly monitor speed. If a wheel is ever at risk of locking while braking, the ABS System automatically adjusts brake pressure.

### Easy transmission for a smoother drive.

The five speed manual transmission, with assist mechanism reduces driver effort, while the shift lever pattern further promotes a smooth drive. The inhibitor in the Swift 1.2 Hatch and DZire manual transmission derivatives, vaunts a mechanism that guides the shift lever from the fifth-gear position to the fourth-gear position with ease so as to prevent accidental shifts from fifth-gear to reverse. The Swift DZire and Swift 1.2 Hatch comes with optional four-speed automatic transmission, which enables an effortless, smooth driving experience, with straight shift pattern.

### Motion theme alloy wheels (GL DZire only)

The alloy wheels boast a new-age pinwheel style that expresses the dynamism and raised ground clearance of the car. The wheel rims are made in a flow-forming process that makes them both light and strong. All models are fitted with specially developed tyres that give superior grip on all surfaces, giving the Swift enough resilience to take on Africa's sometimes-rough roads.

### **Sporty fog lamps**

When the sun goes down, visibility to other motorists shouldn't. The Swift DZire and Swift 1.2 GL Hatch's edgy black-matte finish fog lamps improve visibility and provide a helpful signal to other road users.

# **Suzuki Swift DZire Specifications**

Engine			Petro	l 1.2L	
Dimensions					
Overall Length		mm	3 (	3 995	
Overall Width		mm	16		
Overall Height		mm		555	
Wheelbase		mm		2 430	
Tread	Front	mm		nch optional alloy available)	
	Rear	mm		nch optional alloy available)	
Minimum Turning Radius		m		.8	
Minimum Ground Clearance		mm		170	
CAPACITIES					
Seating Capacity		persons			
Luggage Capacity	Max. Volume	litres	31	00	
Fuel Tank Capacity		litres	4	2	
ENGINE					
Туре			K1	2M	
Number Of Cylinders				4	
Number Of Valves				16	
Piston Displacement		cm3	1 1		
Bore X Stroke		mm	73 x		
Maximum Output		kW/rpm		63/6,000	
Maximum Torque		Nm/rpm		113/4,500	
Fuel Distribution			Multipoin	Multipoint injection	
TRANSMISSION					
Туре			5MT	4AT	
Gear Ratio	1st		3,545	2,875	
	2nd		1,904	1,568	
	3rd		1,280	1,000	
	4th		0,914	0,697	
	5th		0,757	-	
	Reverse		3,272	2,300	
Final Gear Ratio			4,388	4,375	
CHASSIS					
Steering			Rack 8	Rack & pinion	
Brakes	Front		Ventilat	Ventilated disc	
	Rear			railing drum	
Suspension	Front			MacPherson strut with coil spring	
	Rear			Torsion beam with coil spring	
Tyres			165/80R14, 185/65R15	165/80R14, 185/65R15 (optional alloy available)	
WEIGHTS			5MT	4AT	
Kerb Weight (min./with full option)		kg	960/990		
Gross Vehicle Weight		kg	1 415	1 415 1 435	
CO2 and Fuel Consumption					
C02 Emissions		g/km	134	149	
Fuel Consumption		l/100 km		5,7 6,3	
		,	31.	-1-	

# Suzuki Swift DZire Equipment

Transmission	Odzaki Owiic Bzire Equipment				
Wheels	Grade			GL	
Tront Dual Air Bags					
Front Dual Air Bags  ABS  Speed Meter  Rev Counter  Front Fog Lamps  Rear Window Defogger  Day & Right Inside Rear Vew Mirror  Outside Door Mirror  For Ga (Manually Adjustable & Unprimed) For Gi. (Electrically Adjustable, Integrated Side Turn Lamps & Coloured)  Speakers  x4  Audio  Radio Tuner (9khz) + CD + USB + Steering Switch + Illumination Control  - \$  \$  \$  \$  \$  \$  \$  \$  \$  \$  \$  \$  \$	Wheels		\$		
Speed Meter		185/65R15 + Alluminum Alloy Wheels	-		
Speed Meter km/h Rev counter  Front Fog Lamps  Rear Window Defogger  Day & Night Inside Rear View Mirror  Outside Door Mirror  For GA (Manually Adjustable & Unprimed) For GL (Electrically Adjustable, Integreted Side Turn Lamps & Coloured)  Power Windows  Audio  Radio Tuner (9khz) + CD + USB + Steering Switch + Illumination Control  Power Windows  Power Door Lock  Reyless Entry  Varnity Mirror Passenger Side  Door Prockets  Front  Boot Lid Opener At Driver's Seat  Head Restraint  Front X2 Rear x2  Front Seat Back Pockets  Driver & Passenger Sides  Front Seat Back Pockets  Driver & Passenger Sides  Rear Seat Centre Arm Rest  Front Seat Belts  Height Adjuster Force Limiter Pretensioner  Mud Flaps  All Conditioning  Manual  Pollen Filter  Outside Door Handles  Longrimed Coloured  Longrimed					
Front Fog Lamps Rear Window Defogger Day & Night Inside Rear View Mirror Outside Door Mirror For GA (Manually Adjustable & Unprimed) For GG (Liectrically Adjustable, Integrated Side Turn Lamps & Coloured) For GG (Liectrically Adjustable, Integrated Side Turn Lamps & Coloured) For GG (Liectrically Adjustable, Integrated Side Turn Lamps & Coloured) For GG (Liectrically Adjustable, Integrated Side Turn Lamps & Coloured) For GG (Liectrically Adjustable, Integrated Side Turn Lamps & Coloured) For GG (Liectrically Adjustable, Integrated Side Turn Lamps & Coloured Radio Turner (9kn2) + CD + USB + Steering Switch + Illumination Control Forwer Windows					
Front Fog Lamps   -	Speed Meter		\$		
Rear Window Defogger  Day & Night Inside Rear View Mirror  Outside Door Mirror  For GA (Manually Adjustable, Unprimed) For GL (Electrically Adjustable, Integrated Side Turn Lamps & Coloured) For GL (Electrically Adjustable, Integrated Side Turn Lamps & Coloured) For GL (Electrically Adjustable, Integrated Side Turn Lamps & Coloured)  Speakers  X4  Audio Radio Turner (9khz) + CD + USB + Steering Switch + Illumination Control Power Windows Power Door Lock  Keyless Entry Power Door Lock  Keyless Entry Passenger Side Poor Tim Fabric Poor Tim Fabric Poor Pockets Front Boot Lid Opener At Driver's Seat Head Restraint Front X2 Rear x2 Pear x2 Pront Seat Back Pockets Pront Seat Back Pockets Pront Seat Back Pockets Pront Rear Sear Centre Arm Rest Front Seat Balks Pront Rear Windows Pretensioner Mud Flaps Front & Rear Windows Poller Filter Outside Door Handles Unprimed Coloured  Blacked Out A&B Pillars Steering Wined Silver Coloured Accent Inside Door Handle Chromed Accent  Front Sade Charce Coloured Front Handle Chromed Accent Front Steering Wined Silver Coloured Seat Steering Wined Silver Seat Seat Seat Seat Seat Seat Seat Seat		Rev counter	-		
Day & Night Inside Rear View Mirror  Outside Door Mirror  For GA (Manually Adjustable & Unprimed) For GL (Electrically Adjustable, Integrated Side Turn Lamps & Coloured)  Speakers  X4  Audio Radio Tuner (9khz) + CD + USB + Steering Switch + Illumination Control Power Windows Power Door Lock Feyless Entry Power Over Lock Reyless Entry Vanity Mirror Passenger Side Door Frine Tabric Door Forcks Front Boot Lid Opener At Driver's Seat Head Restraint Front Seat Back Pockets Driver & Passenger Sides Front Seat Centre Arm Rest Front Seat Bells Height Adjuster Front Seat Bells Height Adjuster Pretensioner Mud Flaps Front & Rear Wheels Air Conditioning Manual Pollen Filter Outside Door Handle Chromed Accent Flored Handle Chromed Accent Flored Handle Chromed Accent Flored Steering Wheel Silver Coloured Accent Flored Handle Chromed Accent Flored Handle Flored Handle Chromed Accent Flored Handle Chromed Accent Flored Handle Flored Handle Flored Handle Chromed Accent Flored Handle Flored Handle Flored Handle Chromed Accent Flored Handle Flored Handle Flored Handle Chromed Flored Handle Chromed Flored Handle Chromed					
Dustide Door Mirror			\$	\$	\$
For GL (Electrically Adjustable, Integrated Side Turn Lamps & Coloured)			-	\$	\$
Speakers	Outside Door Mirror		\$	-	-
Audio   Radio Tuner (9khz) + CD + USB + Steering Switch + Illumination Control   -		For GL (Electrically Adjustable, Integrated Side Turn Lamps & Coloured)	-	\$	\$
Power Windows         -         \$			\$	\$	\$
Power Door Lock	Audio	Radio Tuner (9khz) + CD + USB + Steering Switch + Illumination Control	-	\$	\$
Keyless Entry         Passenger Side         \$         \$           Door Trim Fabric         -         \$         \$           Door Pockets         Front         \$         \$           Boot Lid Opener At Driver's Seat         \$         \$         \$           Head Restraint         Front x2         \$         \$         \$           Rear X2         -         \$         \$         \$         \$           Front Seat Back Pockets         Driver & Passenger Sides         -         \$ <td>Power Windows</td> <td></td> <td>-</td> <td>\$</td> <td>\$</td>	Power Windows		-	\$	\$
Vanity Mirror  Passenger Side  Door Trim Fabric  Door Pockets Front  Boot Lid Opener At Driver's Seat  Head Restraint Front x2 Rear x2 Front Seat Back Pockets Driver & Passenger Sides  Rear Seat Centre Arm Rest Front Seat Belts Height Adjuster Force Limiter Frore Limiter Pretensioner  Mud Flaps Front & Rear Wheels Air Conditioning Manual  Pollen Filter  Outside Door Handles Unprimed Coloured  Steering Wheel Silver Coloured Accent Inside Door Handle Chromed Accent  Is a simple silver  Steering Wheel Silver Coloured Accent Inside Door Handle Chromed Accent  Front Seat Belts Front & Seat Centre Arm Rest Front Seat Belts Front & Seat Belts Front & Fr	Power Door Lock		-	\$	\$
Door Trim Fabric  Door Pockets Front  Boot Lid Opener At Driver's Seat  Head Restraint Front x2 Rear x2 Front Seat Back Pockets Priver & Passenger Sides Rear Seat Centre Arm Rest Front Seat Belts Front Seat Centre Arm Rest Front Seat Belts Front Seat Centre Arm Rest Front Seat Belts Front Seat Centre Arm Rest Front Seat Belts Front Seat Rear X2 Front Seat Belts	Keyless Entry		-	\$	\$
Door Pockets Front  Boot Lid Opener At Driver's Seat  Head Restraint Front x2 Rear x2 Front Seat Back Pockets Driver & Passenger Sides  Rear Seat Centre Arm Rest Front Seat Belts Height Adjuster Front Seat Belts Force Limiter Pretensioner  Mud Flaps Front & Rear Wheels  Air Conditioning Manual Pollen Filter  Outside Door Handles Un primed Coloured  Blacked Out A&B Pillars Steering Wheel Silver Coloured Accent Inside Door Handle Chromed Accent  Front x2 Rear	Vanity Mirror	Passenger Side	\$	\$	\$
Boot Lid Opener At Driver's Seat  Head Restraint Front x2 Rear x2 Front Seat Back Pockets Driver & Passenger Sides Rear Seat Centre Arm Rest Front Seat Belts Height Adjuster Force Limiter Pretensioner Mud Flaps Air Conditioning Manual  Pollen Filter Outside Door Handles Unprimed Coloured  Blacked Out A&B Pillars Steering Wheel Silver Coloured Accent Inside Door Handle Chromed Accent  S SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	Door Trim Fabric		-	\$	\$
Head Restraint Front X2 Rear x2  Front Seat Back Pockets Driver & Passenger Sides  Rear Seat Centre Arm Rest Front Seat Belts Height Adjuster Force Limiter Pretensioner  Mud Flaps Front & Rear Wheels Air Conditioning Manual  Pollen Filter Outside Door Handles Unprimed Coloured  Blacked Out A&B Pillars Steering Wheel Silver Coloured Accent Inside Door Handle Chromed Accent  Inside Door Handle Chromed Accent  Front X2 Rear x2  -  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Door Pockets	Front	\$	\$	\$
Rear x2 Front Seat Back Pockets Driver & Passenger Sides Rear Seat Centre Arm Rest Front Seat Belts Height Adjuster Force Limiter Pretensioner Mud Flaps Front & Rear Wheels Air Conditioning Manual  Pollen Filter Outside Door Handles Unprimed Coloured  Blacked Out A&B Pillars Steering Wheel Silver Coloured Accent Inside Door Handle Chromed Accent  Front & Rear x2  \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Boot Lid Opener At Driver's Seat		\$	\$	\$
Front Seat Back Pockets  Rear Seat Centre Arm Rest  Front Seat Belts  Height Adjuster Force Limiter Pretensioner  Mud Flaps  Front & Rear Wheels  Air Conditioning  Manual  Pollen Filter  Outside Door Handles  Unprimed Coloured  Blacked Out A&B Pillars  Steering Wheel Silver Coloured Accent  Inside Door Handle Chromed Accent	Head Restraint	Front x2	\$	\$	\$
Rear Seat Centre Arm Rest  Front Seat Belts  Height Adjuster Force Limiter Pretensioner  Mud Flaps  Front & Rear Wheels  Air Conditioning  Manual  Pollen Filter  Outside Door Handles  Unprimed Coloured  Blacked Out A&B Pillars  Steering Wheel Silver Coloured Accent  Inside Door Handle Chromed Accent		Rear x2	-	\$	\$
Front Seat Belts  Height Adjuster Force Limiter Pretensioner  Mud Flaps Front & Rear Wheels Air Conditioning Manual  Pollen Filter  Outside Door Handles Unprimed Coloured  Blacked Out A&B Pillars Steering Wheel Silver Coloured Accent Inside Door Handle Chromed Accent  Front & Height Adjuster  * \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Front Seat Back Pockets	Driver & Passenger Sides	-	\$	\$
Force Limiter Pretensioner  Mud Flaps Front & Rear Wheels Air Conditioning Manual  Pollen Filter Outside Door Handles Unprimed Coloured  Blacked Out A&B Pillars Steering Wheel Silver Coloured Accent Inside Door Handle Chromed Accent  Force Limiter  A Steering Wheel Silver Coloured Accent  A Steering Wheel Coloured Accent  A Steering Wheel Silver Coloured Accent	Rear Seat Centre Arm Rest		-	\$	\$
Pretensioner         ★         ★           Mud Flaps         Front & Rear Wheels         -         ★           Air Conditioning         Manual         ★         ★           Pollen Filter         ★         +         ★           Outside Door Handles         Unprimed         ★         -         -           Coloured         -         ★         +         -           Blacked Out A&B Pillars         -         ★         ★           Steering Wheel Silver Coloured Accent         -         ★         ★           Inside Door Handle Chromed Accent         -         ★         ★	Front Seat Belts	Height Adjuster	\$	\$	\$
Mud Flaps         Front & Rear Wheels         -         \$         \$           Air Conditioning         Manual         \$         \$         \$           Pollen Filter         \$         \$         -         -         -           Outside Door Handles         Unprimed         \$         -		Force Limiter	\$	\$	\$
Air Conditioning Manual  Pollen Filter  Outside Door Handles Unprimed Coloured  Blacked Out A&B Pillars Steering Wheel Silver Coloured Accent Inside Door Handle Chromed Accent  Air Conditioning Manual  \$		Pretensioner	\$	\$	\$
Pollen Filter  Outside Door Handles Unprimed Coloured  Blacked Out A&B Pillars Steering Wheel Silver Coloured Accent Inside Door Handle Chromed Accent	Mud Flaps	Front & Rear Wheels	-	\$	\$
Outside Door Handles Unprimed Coloured  Coloured  Blacked Out A&B Pillars Steering Wheel Silver Coloured Accent Inside Door Handle Chromed Accent  - \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Air Conditioning	Manual	\$	\$	\$
Coloured - \$ \$ \$ Blacked Out A&B Pillars - \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Pollen Filter		\$	\$	\$
Blacked Out A&B Pillars  Steering Wheel Silver Coloured Accent  Inside Door Handle Chromed Accent  - \$ \$	Outside Door Handles	Unprimed	\$	-	-
Steering Wheel Silver Coloured Accent - \$ \$ Inside Door Handle Chromed Accent - \$		Coloured	-	\$	\$
Inside Door Handle Chromed Accent - \$	Blacked Out A&B Pillars		-	\$	\$
Inside Door Handle Chromed Accent - \$	Steering Wheel Silver Coloured Accent		-	\$	\$
Shift Knob Silver Coloured Accent			-	\$	\$
	Shift Knob Silver Coloured Accent		-	\$	\$
Parking Brake Knob Chromed Accent - \$	Parking Brake Knob Chromed Accent		-	\$	\$
Interior Colour Two Tone Beige (with Black)		Two Tone Beige (with Black)	\$	\$	\$


# Suzuki Swift 1.2 Specifications

Engine   Petrol 1.2L
Overall Length         mm         3 850           Overall Width         mm         1 695           Overall Height         mm         1 530           Wheelbase         mm         2 430           Tread         Front         mm         1,485(14 inch)           Minimum Turning Radius         m         4,8           Minimum Ground Clearance         mm         170           CAPACITIES           Seating Capacity         persons         5           Fuel Tank Capacity         gitres         42           ENGINE           Type         K12M           Number Of Cylinders         4           Number Of Valves         16           Piston Displacement         cm3         1 197           Bore X Stroke         mm         73 x 71.5           Compression Ratio         tw/pm         63/6,000
Overall Width         mm         1 695           Overall Height         mm         1 530           Wheelbase         mm         2 430           Tread         Front         mm         1,485(14 inch)           Minimum Turning Radius         m         4,8           Minimum Ground Clearance         mm         170           CAPACITIES           Seating Capacity         persons         5           Fuel Tank Capacity         itres         42           ENGINE           Type         K12M           Number Of Cylinders         4         4           Number Of Valves         16         197           Piston Displacement         cm3         1197           Bore X Stroke         mm         73 x 71.5           Compression Ratio         kW/rpm         63/6,000
Overall Width         mm         1 695           Overall Height         mm         1 530           Wheelbase         mm         2 430           Tread         Front         mm         1,485(14 inch)           Minimum Turning Radius         m         4,8           Minimum Ground Clearance         mm         170           CAPACITIES           Seating Capacity         persons         5           Fuel Tank Capacity         itres         42           ENGINE           Type         K12M           Number Of Cylinders         4         4           Number Of Valves         16         197           Piston Displacement         cm3         1197           Bore X Stroke         mm         73 x 71.5           Compression Ratio         kW/rpm         63/6,000
Wheelbase         mm         2 430           Tread         Front         mm         1,485(14 inch)           Rear         mm         1,495(14 inch)           Minimum Turning Radius         m         4,8           Minimum Ground Clearance         mm         170           CAPACITIES           Seating Capacity         persons         5           Fuel Tank Capacity         jitres         42           ENGINE           Type         K12M           Number Of Cylinders         4         K12M           Number Of Valves         16         16           Piston Displacement         cm3         1 197           Bore X Stroke         mm         73 x 71.5           Compression Ratio         mm         73 x 71.5           Maximum Output         KW/rpm         63/6,000
Wheelbase         mm         2 430           Tread         Front         mm         1,485(14 inch)           Rear         mm         1,495(14 inch)           Minimum Turning Radius         m         4,8           Minimum Ground Clearance         mm         170           CAPACITIES           Seating Capacity         persons         5           Fuel Tank Capacity         jitres         42           ENGINE           Type         K12M           Number Of Cylinders         4         K12M           Number Of Valves         16         16           Piston Displacement         cm3         1 197           Bore X Stroke         mm         73 x 71.5           Compression Ratio         mm         73 x 71.5           Maximum Output         KW/rpm         63/6,000
Rear         mm         1,495(14 inch)           Minimum Turning Radius         m         4,8           Minimum Ground Clearance         mm         170           CAPACITIES           Seating Capacity         persons         5           Fuel Tank Capacity         litres         42           ENGINE           Type         K12M           Number Of Cylinders         4           Number Of Valves         16           Piston Displacement         cm3         1197           Bore X Stroke         mm         73 x 71.5           Compression Ratio         mm         73 x 71.5           Maximum Output         kW/rpm         63/6,000
Rear         mm         1,495(14 inch)           Minimum Turning Radius         m         4,8           Minimum Ground Clearance         mm         170           CAPACITIES           Seating Capacity         persons         5           Fuel Tank Capacity         litres         42           ENGINE           Type         K12M           Number Of Cylinders         4           Number Of Valves         16           Piston Displacement         cm3         1197           Bore X Stroke         mm         73 x 71.5           Compression Ratio         mm         73 x 71.5           Maximum Output         kW/rpm         63/6,000
Minimum Turning Radius         m         4,8           Minimum Ground Clearance         mm         170           CAPACITIES           Seating Capacity         persons         5           Fuel Tank Capacity         litres         42           ENGINE           Type         K12M           Number Of Cylinders         4           Number Of Valves         16           Piston Displacement         cm3         1 197           Bore X Stroke         mm         73 x 71.5           Compression Ratio         mm         73 x 71.5           Maximum Output         kW/rpm         63/6,000
Minimum Ground Clearancemm170CAPACITIESSeating Capacitypersons5Fuel Tank Capacitylitres42ENGINETypeK12MNumber Of Cylinders4Number Of Valves16Piston Displacementcm31 197Bore X Strokemm73 x 71.5Compression Ratiomm73 x 71.5Maximum OutputkW/rpm63/6,000
Seating Capacity         persons         5           Fuel Tank Capacity         litres         42           ENGINE           Type         K12M           Number Of Cylinders         4           Number Of Valves         16           Piston Displacement         cm3         1 197           Bore X Stroke         mm         73 x 71.5           Compression Ratio         10.0           Maximum Output         kW/rpm         63/6,000
Fuel Tank Capacity         litres         42           ENGINE           Type         K12M           Number Of Cylinders         4           Number Of Valves         16           Piston Displacement         cm3         1 197           Bore X Stroke         mm         73 x 71.5           Compression Ratio         10.0           Maximum Output         kW/rpm         63/6,000
Fuel Tank Capacity         litres         42           ENGINE           Type         K12M           Number Of Cylinders         4           Number Of Valves         16           Piston Displacement         cm3         1 197           Bore X Stroke         mm         73 x 71.5           Compression Ratio         10.0           Maximum Output         kW/rpm         63/6,000
ENGINE           Type         K12M           Number Of Cylinders         4           Number Of Valves         16           Piston Displacement         cm3         1 197           Bore X Stroke         mm         73 x 71.5           Compression Ratio         10.0           Maximum Output         kW/rpm         63/6,000
Type         K12M           Number Of Cylinders         4           Number Of Valves         16           Piston Displacement         cm3         1 197           Bore X Stroke         mm         73 x 71.5           Compression Ratio         10.0           Maximum Output         kW/rpm         63/6,000
Number Of Cylinders       4         Number Of Valves       16         Piston Displacement       cm3       1 197         Bore X Stroke       mm       73 x 71.5         Compression Ratio       10.0         Maximum Output       kW/rpm       63/6,000
Number Of Valves         16           Piston Displacement         cm3         1 197           Bore X Stroke         mm         73 x 71.5           Compression Ratio         10.0           Maximum Output         kW/rpm         63/6,000
Piston Displacement         cm3         1 197           Bore X Stroke         mm         73 x 71.5           Compression Ratio         10.0           Maximum Output         kW/rpm         63/6,000
Bore X Stroke         mm         73 x 71.5           Compression Ratio         10.0           Maximum Output         kW/rpm         63/6,000
Compression Ratio         10.0           Maximum Output         kW/rpm         63/6,000
Maximum Output kW/rpm 63/6,000
Fuel Distribution Multipoint injection
TRANSMISSION
Type 5MT 4AT
Gear Ratio         1st         3,545         2,875
2nd 1,904 1,568
3rd 1,280 1,000
4th 0,914 0,697
5th 0,757 -
Reverse 3,272 2,300
Final Gear Ratio 4,388 4,375
CHASSIS
Steering Rack & pinion
Brakes Front Ventilated disc
Rear Leading & trailing drum
Suspension Front MacPherson strut with coil spring
Rear Torsion beam with coil spring
Tyres 165/80R14
WEIGHTS 5MT 4AT
Kerb Weight (min./with full option) kg 960 990
Gross Vehicle Weight kg 1 415 1 435
CO2 and Fuel Consumption
C02 Emissions         g/km         134         149           Fuel Consumption         I/100 km         5,7         6,3

# Suzuki Swift 1.2 Equipment

Grade		GA	G	
Transmission		5MT	5MT	4AT
Wheels	165/80R14 + Steel Wheels +Full Wheel Covers	\$	\$	\$
Front Dual Air Bags		\$	\$	\$
ABS		\$	\$	\$
Speed Meter	km/h	\$	\$	\$
	Rev counter	_	\$	\$
Front Fog Lamps		-	\$	\$
Rear Wiper & Washer		\$	\$	\$
Rear Window Defogger		\$	\$	\$
Day & Night Inside Rear View Mirror		-	\$	\$
Outside Door Mirror	For GA (Manually Adjustable & Unprimed)	\$	\$ -	
	For GL (Electrically Adjustable, Integrated Side Turn Lamps & Coloured)	-	\$	\$
Speakers	х4	\$	\$	\$
Audio	Radio Tuner (9khz) + CD + USB + Steering Switch + Illumination Control	-	\$	\$
Power Windows		-	\$	\$
Power Door Lock		-	\$	\$
Key Less Entry		-	\$	\$
Vanity Mirror	Passenger Side	-	\$	\$
Door Trim Fabric		-	\$	\$
Door Pockets	Front	\$	\$	\$
Quarter Trim Convenience Hook		\$	\$	\$
Electric Back Door Lock		-	\$	\$
Back Door Lid Opener At Drivers Seat		\$	-	-
Head Restraint	Front x2	\$	\$	\$
	Rear x2	-	\$	\$
Front Seat Back Pockets	Driver & Passenger Sides	-	\$	\$
Front Seat Belts	Height Adjuster	\$	\$	\$
	Force Limiter	\$	\$	\$
	Pretensioner	\$	\$	\$
Luggage Area Parcel Shelf		\$	\$	\$
Air Conditioning	Manual	\$	\$	\$
Pollen Filter		\$	\$	\$
Outside Door Handles	Unprimed	\$	-	-
	Coloured	-	\$	\$
Blacked Out A&B Pillars		-	\$	\$
Steering Wheel Silver Coloured Accent		-	\$	\$
Inside Door Handle Chromed Accent		-	\$	\$
Shift Knob Silver Coloured Accent		-	\$	\$
Parking Brake Knob Chromed Accent		-	\$	\$
Interior Colour	Black	\$	\$	\$

## Swift DZire Technical drawings



## Find your match

With an array of eye-catching colours to choose from, it will be easy to find your perfect Swift DZire to match your personality and your life.















Silky Silver Metallic

Midnight Black Pearl


Glistening Grey Metallic Artic White Pearl

Clear Beige Metallic

Pacific Blue

Bright Red Solid

# Swift 1.2 Technical drawings



# Find your match

With an array of eye-catching colours to choose from, it will be easy to find your perfect Swift 1.2 Hatch to match your personality and your life.



Silky Silver Metallic



Midnight Black Pearl



Glistening Grey Metallic



Artic White Pearl



Torque Blue



Blazing Red

## **Swift DZire**








Optional 15" Alloy Wheels

## **Swift 1.2**



Seat fabric



Steel wheels





Suzuki understands that purchasing a new vehicle is a substantial investment. Our unwavering commitment to customer satisfaction is represented in our 'Suzuki Complete' package, which includes every aspect of after-sales support, with the warranty, service plan and roadside assistance being standard.

### Warranty

All Suzuki models are covered by a comprehensive manufacturer's warranty against any defects for a period of 3 years or 100 000km. This is supported by three year anti-corrosion cover.

### **Service Plan**

The Swift DZire and Swift 1.2 Hatch both benefit from a 2 year / 30 000km service plan. This plan includes the replacement of oil, the oil filter, fuel filter, brake fluid, air filter and accessory belts, but excludes tyres, brakes and other wear-and-tear items.


#### **Roadside Assistance**

Every new Swift DZire and Swift 1.2 Hatch comes with a roadside assistance plan. Some of the benefits offered by this comprehensive package include: battery and locksmith call-out services, mechanical and electrical breakdown, towing (accident towing is optional), emergency medical rescue, vehicle repatriation and a stand-by-you armed roadside security response service.





All care is taken to ensure the accuracy of this brochure at the time of print approval. Specifications, features, prices and model availability may vary from those specified and may change without notice. Always consult your authorised Suzuki Dealer or refer to www.SuzukiAuto.co.za for the latest details on all models. SUZUKI AUTO South Africa (PTY) Ltd will not be held liable for any loss as a result of reliance on the content of this brochure, whether in negligence or otherwise. Vehicles are shown for illustrative purposes only and may not depict exact specifications. Published March 2014.







SUZUKI AUTO South Africa (PTY) Ltd | Tel: 0861 511 111 | Fax: 011 608 5489

17 Enterprise Close, Linbro Business Park, Marlboro, 2090

PO Box 1995, Kelvin, South Africa, 2054 | www.SuzukiAuto.co.za