

# Caddy Crew Bus



Commercial  
Vehicles





Caddy

# Caddy Crew Bus Specifications.

X = standard O = optional - = not available

Caddy Crew Bus Specification	Caddy Crew Bus 1.6i 81kW SWB 7-Seater	Caddy Crew Bus 2.0 TDI 81kW SWB 7-Seater
<b>Engine</b>		
Cylinders	4	4
Capacity (cm <sup>3</sup> )	1598	1968
Output (kW @ r/min)	81 @ 5800	81 @ 4200
Torque (Nm @ r/min)	155 @ 3800-4000	250 @ 1500-2500
CO <sub>2</sub> emissions (g/km)*	166	147
<b>Transmission</b>		
5-speed manual	X	X
6-speed DSG <sup>®</sup>	-	-
<b>Performance</b>		
Acceleration in seconds (0-100 km/h)	12,5	12,4
Top speed (km/h)	172	170
<b>Fuel Consumption</b>		
Urban cycle (litres / 100 km)*	9,2	6,9
Extra-urban cycle (litres / 100 km)*	6,0	5,0
Combined cycle (litres / 100 km)*	7,2	5,7
<b>Running Gear</b>		
Standard suspension and shock absorption	X	X
<b>Brakes</b>		
ABS (Anti-lock Braking System)	X	X
MCB (Automatic Post-collision Braking System)	X	X
ESP (Electronic Stability Programme)	X	X
EDL (Electronic Differential Lock)	X	X
TCS (Traction Control System)	X	X
Hill-hold control	-	-
<b>Wheelrims / Tyres</b>		
15" steel wheels	X	X
16" steel wheels	-	-
Tyres 195/65 R15 91T	X	X
Tyres 205/55 R16 94T	O	O
Full-sized spare wheel (steel)	X	X
<b>Dimensions / Capacities</b>		
Fuel tank (litres)	55	55
Length (mm)	4408	4408
Width excl. mirrors (mm)	1793	1793
Width incl. mirrors (mm)	2079	2079
Height excl. roof rails (mm)	1822	1822
Wheelbase (mm)	2682	2682
Overhang - front (mm)	879	879
Overhang - rear (mm)	847	847
Ground clearance (measured underneath the engine guard in mm)	155	155
Loading sill over stationary level (mm)	575	575
Loading height (mm)	1230	1230
Approach angle (degrees)	15,7	15,7
Ramp angle (degrees)	13,5	13,5
Departure angle (degrees)	17,5	17,5
Turning circle (m)	11,1	11,1

# Caddy Crew Bus Specifications.

X = standard O = optional - = not available

Caddy Crew Bus Specification	Caddy Crew Bus 1.6i 81kW SWB 7-Seater	Caddy Crew Bus 2.0 TDI 81kW SWB 7-Seater
<b>Dimensions / Capacities (continued)</b>		
Load compartment width, min. / max. (mm)	1168 / 1190	1168 / 1190
Load compartment floor length behind 1st / 2nd / 3rd row of seats (mm)	1781 / 1095 / 224	1781 / 1095 / 224
Load / passenger compartment volume, for 2- / 5- / 7-seater (m <sup>3</sup> )	3.2 / 0.9 / 0.2	3.2 / 0.9 / 0.2
Load / passenger compartment volume, for 2- / 5- / 7-seater (litres)	3200 / 918 / 190	3200 / 918 / 190
Side sliding doors, width x height (mm)	701 x 1086	701 x 1086
Tailgate, width x height (mm)	1183 x 1134	1183 x 1134
Gross Vehicle Mass (GVM) (kg)	2265	2265
Unladen weight, minimum (kg)	1458	1458
Payload, maximum (kg)	807	807
Axle load limit - Front / Rear (kg)	783 / 649	893 / 647
Trailer weight, 12% gradient - Braked / Unbraked (kg)	1300 / 650	1400 / 730
Gross train weight (kg), 12% gradient	3300	3650
Roof load limit (kg)	100	100
Trailer nose weight (kg)	75	75
<b>Seats</b>		
Number of seats	7	7
3-seater bench (separately folding and removable) in 2nd row of seats	X	X
'Austin' fabric seat trim covers	X	X
Backrest release for driver and front passenger seat	X	X
Driver and front passenger seats with drawer preparation	X	X
<b>Windows</b>		
Manual windows	X	X
Heated rear window	X	X
Heat-insulating glass (green)	X	X
Heat-insulating windshield made of laminated glass	X	X
<b>Mirrors</b>		
Exterior mirrors - adjustable from outside	X	X
<b>Wiper System</b>		
Windshield wiper with intermittent control	X	X
Rear window wiper and washer system with intermittent control	X	X
<b>Safety</b>		
Driver and front passenger airbags (incl. front passenger deactivation)	X	X
Rest Assist (fatigue detection)	O	O
3-point seatbelts, front	X	X
Seatbelts in 2nd and 3rd row of seats	X	X
Warning buzzer and light for driver seatbelt not fastened	X	X
First Aid kit and warning triangle	X	X
<b>Security</b>		
Remote-controlled central locking with SAFELOCK	X	X
Anti-theft alarm system with back-up horn, towing protection, interior monitoring and central locking (separate unlocking for driver's door)	X	X
<b>Audio and Communication</b>		
'Composition Audio' radio with LCD screen and integrated USB	X	X
2 speakers	X	X
Cellphone interface	X	X

X = standard O = optional - = not available

Caddy Crew Bus Specification	Caddy Crew Bus 1.6i 81kW SWB 7-Seater	Caddy Crew Bus 2.0 TDI 81kW SWB 7-Seater
<b>Interior Features</b>		
Climatic® airconditioning system	X	X
Servotronic® power steering (speed-sensitive)	X	X
Height adjustment for driver's seat	X	X
Multi-function display ('Plus')	O	O
Dust and pollen filter	X	X
Centre console with 4 cup holders (2 front, 2 rear)	X	X
Plastic door trim panel and armrest	X	X
Sunvisors for driver and front passenger (w/o vanity mirror)	X	X
Glove compartment (illuminated) with lockable lid	X	X
Rubber floor covering in cab	X	X
Rubber floor covering in passenger compartment / load area	X	X
Comfort roof headlining in cab with hardboard in load compartment	X	X
12V socket in dashboard	X	X
Smokers' package: 12V socket with cigarette lighter and ashtray	X	X
Interior lighting	X	X
Lashing rings	4	4
<b>Exterior Features</b>		
Grey bumpers	X	X
Sliding doors - left and right	X	X
Protective side moulding (black)	X	X
Exterior mirror housings, door and tailgate handles in black	X	X
Roof rail preparation	X	X
Rear wing doors with windows	X	X
Radiator grille (grained) with 1 chrome moulding	X	X
Large side turn signal lights	X	X
Tow bar preparation (incl. trailer stabilisation)	X	X
Halogen headlights	X	X
Separate daytime running lights (permanently switched on during driving)	X	X
Sliding windows in passenger area, front (left and right)	X	X
Side windows (rigid) in load compartment / passenger area, rear (left and right)	X	X
<b>Options</b>		
15" 'Caloundra' alloy wheels	O	O
16" 'Bendigo' alloy wheels	O	O
'Mesh' leatherette seat trim covers and armrests	O	O
7-seater package (3-seater bench in 2nd row and 2-seater bench in 3rd row of seats)	X	X
Side and curtain airbags for driver and front passenger	O	O
Park Distance Control - rear only	O	O
'Composition Media' radio with multi-function leather** steering wheel, Bluetooth, USB interface (iPod, iPad and iPhone capable), multi-function display and Rest Assist (fatigue detection)	O	O
Luggage compartment cover, folding and removable (Not avail. with 7-seater package)	-	-
Fixed towbar (incl. trailer stabilisation)	O	O
Tailgate with window	O	O

# Caddy Crew Bus Specifications.

X = standard O = optional - = not available

Caddy Crew Bus Specification	Caddy Crew Bus 1.6i 81kW SWB 7-Seater	Caddy Crew Bus 2.0 TDI 81kW SWB 7-Seater
<b>Options (continued)</b>		
Comfort Package: Cruise control and front foglights	O	O
Electric windows and exterior mirrors	O	O
<b>Guarantees</b>		
2-year / unlimited km manufacturer warranty	X	X
3-year / 60,000 km Genuine AutoMotion Service Plan	O	X
15,000 km service intervals	X	X
12-year anti-corrosion warranty	X	X

Vehicle Tare mass given at 90% tank filling without driver (75kg). Selected optional extras increase the unloaded weight of the vehicle.

## \*Fuel Consumption and Carbon Dioxide Emission Figures

The figures reflected were obtained in accordance with prescribed uniform measuring standards (SANS 20101: 2006 / ECE R101: 2005 in their currently applicable versions) under laboratory type conditions. The measuring standards are stipulated by law. They do not apply to a specific vehicle and are provided to enable comparison between different vehicle models tested using the same uniform measuring standard. The values are accordingly not necessarily representative of real-life driving conditions. Factors such as driving style, vehicle load, road conditions, tyre size, traffic and ambient conditions may result in different fuel consumption and carbon dioxide emission levels to those achieved under the test parameters referred to above. More details are contained in the owner's manual.

**\*\*A combination of leather and high quality materials.**

X = standard O = optional - = not available

Caddy Crew Bus Specification	Caddy Maxi Crew Bus 2.0 TDI 81kW LWB	Caddy Maxi Crew Bus 2.0 TDI 103kW DSG® LWB
<b>Engine</b>		
Cylinders	4	4
Capacity (cm <sup>3</sup> )	1968	1968
Output (kW @ r/min)	81 @ 4200	103 @ 4200
Torque (Nm @ r/min)	250 @ 1500-2500	320 @ 1750-2500
CO <sub>2</sub> emissions (g/km)*	149	166
<b>Transmission</b>		
5-speed manual	X	-
6-speed DSG®	-	X
<b>Performance</b>		
Acceleration in seconds (0-100 km/h)	12,8	10,9
Top speed (km/h)	170	186
<b>Fuel Consumption</b>		
Urban cycle (litres / 100 km)*	6,9	7,5
Extra-urban cycle (litres / 100 km)*	5,0	5,4
Combined cycle (litres / 100 km)*	5,7	6,1
<b>Running Gear</b>		
Standard suspension and shock absorption	X	X
<b>Brakes</b>		
ABS (Anti-lock Braking System)	X	X
MCB (Automatic Post-collision Braking System)	X	X
ESP (Electronic Stability Programme)	X	X
EDL (Electronic Differential Lock)	X	X
TCS (Traction Control System)	X	X
Hill-hold control	-	X
<b>Wheelrims / Tyres</b>		
15" steel wheels	-	-
16" steel wheels	X	X
Tyres 195/65 R15 91T	-	-
Tyres 205/55 R16 94T	X	X
Full-sized spare wheel (steel)	X	X
<b>Dimensions / Capacities</b>		
Fuel tank (litres)	55	55
Length (mm)	4878	4878
Width excl. mirrors (mm)	1793	1793
Width incl. mirrors (mm)	2079	2079
Height excl. roof rails (mm)	1831	1831
Wheelbase (mm)	3006	3006
Overhang - front (mm)	879	879
Overhang - rear (mm)	993	993
Ground clearance (measured underneath the engine guard in mm)	158	158
Loading sill over stationary level (mm)	581	581
Loading height (mm)	1240	1240
Approach angle (degrees)	15,9	15,9
Ramp angle (degrees)	12,1	12,1
Departure angle (degrees)	15,3	15,3
Turning circle (m)	12,2	12,2

# Caddy Crew Bus Specifications.

X = standard O = optional - = not available

Caddy Crew Bus Specification	Caddy Maxi Crew Bus 2.0 TDI 81kW LWB	Caddy Maxi Crew Bus 2.0 TDI 103kW DSG® LWB
<b>Dimensions / Capacities (continued)</b>		
Load compartment width, min. / max. (mm)	1168 / 1190	1168 / 1190
Load compartment floor length behind 1st / 2nd / 3rd row of seats (mm)	2250 / 1566 / 644	2250 / 1566 / 644
Load / passenger compartment volume, for 2- / 5- / 7-seater (m3)	4.1 / 1.6 / 0.5	4.1 / 1.6 / 0.5
Load / passenger compartment volume, for 2- / 5- / 7-seater (litres)	4130 / 1650 / 530	4130 / 1650 / 530
Side sliding doors, width x height (mm)	701 x 1084	701 x 1084
Tailgate, width x height (mm)	1183 x 1134	1183 x 1134
Gross Vehicle Mass (GVM) (kg)	2280	2380
Unladen weight, minimum (kg)	1536	1582
Payload, maximum (kg)	744	798
Axle load limit - Front / Rear (kg)	944 / 672	1751 / 1250
Trailer weight, 12% gradient - Braked / Unbraked (kg)	1500 / 750	1500 / 750
Gross train weight (kg), 12% gradient	3630	3800
Roof load limit (kg)	100	100
Trailer nose weight (kg)	75	75
<b>Seats</b>		
Number of seats	5	5
3-seater bench (separately folding and removable) in 2nd row of seats	X	X
'Austin' fabric seat trim covers	X	X
Backrest release for driver and front passenger seat	X	X
Driver and front passenger seats with drawer preparation	X	X
<b>Windows</b>		
Manual windows	X	X
Heated rear window	X	X
Heat-insulating glass (green)	X	X
Heat-insulating windshield made of laminated glass	X	X
<b>Mirrors</b>		
Exterior mirrors - adjustable from outside	X	X
<b>Wiper System</b>		
Windshield wiper with intermittent control	X	X
Rear window wiper and washer system with intermittent control	X	X
<b>Safety</b>		
Driver and front passenger airbags (incl. front passenger deactivation)	X	X
Rest Assist (fatigue detection)	O	X
3-point seatbelts, front	X	X
Seatbelts in 2nd and 3rd row of seats	X	X
Warning buzzer and light for driver seatbelt not fastened	X	X
First aid kit and warning triangle	X	X
<b>Security</b>		
Remote-controlled central locking with SAFELOCK	X	X
Anti-theft alarm system with back-up horn, towing protection, interior monitoring and central locking (separate unlocking for driver's door)	X	X
<b>Audio and Communication</b>		
'Composition Audio' radio with LCD screen and integrated USB	X	X
2 speakers	X	X
Cellphone interface	X	X



X = standard O = optional - = not available

Caddy Crew Bus Specification	Caddy Maxi Crew Bus 2.0 TDI 81kW LWB	Caddy Maxi Crew Bus 2.0 TDI 103kW DSG® LWB
<b>Interior Features</b>		
Climatic® airconditioning system	X	X
Servotronic® power steering (speed-sensitive)	X	X
Height adjustment for driver's seat	X	X
Multi-function display ('Plus')	O	X
Dust and pollen filter	X	X
Centre console with 4 cup holders (2 front, 2 rear)	X	X
Plastic door trim panel and armrest	X	X
Sunvisors for driver and front passenger (w/o vanity mirror)	X	X
Glove compartment (illuminated) with lockable lid	X	X
Rubber floor covering in cab	X	X
Rubber floor covering in passenger compartment / load area	X	X
Comfort roof headlining in cab with hardboard in load compartment	X	X
12V socket in dashboard	X	X
Smokers' package: 12V socket with cigarette lighter and ashtray	X	X
Interior lighting	X	X
Lashing rings	6	6
<b>Exterior Features</b>		
Grey bumpers	X	X
Sliding doors - left and right	X	X
Protective side moulding (black)	X	X
Exterior mirror housings, door and tailgate handles in black	X	X
Roof rail preparation	X	X
Rear wing doors with windows	X	X
Radiator grille (grained) with 1 chrome moulding	X	X
Large side turn signal lights	X	X
Tow bar preparation (incl. trailer stabilisation)	X	X
Halogen headlights	X	X
Separate daytime running lights (permanently switched on during driving)	X	X
Sliding windows in passenger area, front (left and right)	X	X
Side windows (rigid) in load compartment / passenger area, rear (left and right)	O	O
<b>Options</b>		
15" 'Caloundra' alloy wheels	-	-
16" 'Bendigo' alloy wheels	O	O
'Mesh' leatherette seat trim covers and armrests	O	O
7-seater package (3-seater bench in 2nd row and 2-seater bench in 3rd row of seats)	O	O
Side and curtain airbags for driver and front passenger	O	O
Park Distance Control - rear only	O	O
'Composition Media' radio with multi-function leather** steering wheel, Bluetooth, USB interface (iPod, iPad and iPhone capable), multi-function display and Rest Assist (fatigue detection)	O	O
Luggage compartment cover, folding and removable (Not avail. with 7-seater package)	O	O
Fixed towbar (incl. trailer stabilisation)	O	O
Tailgate with window	O	O

# Caddy Crew Bus Specifications.

X = standard O = optional - = not available

Caddy Crew Bus Specification	Caddy Maxi Crew Bus 2.0 TDI 81kW LWB	Caddy Maxi Crew Bus 2.0 TDI 103kW DSG® LWB
<b>Options (continued)</b>		
Comfort Package: Cruise control and front foglights	O	O
Electric windows and exterior mirrors	O	O
<b>Guarantees</b>		
2-year / unlimited km manufacturer warranty	X	X
3-year / 60,000 km Genuine AutoMotion Service Plan	X	X
15,000 km service intervals	X	X
12-year anti-corrosion warranty	X	X
<b>Disclaimer</b>		
<p><b>Dimensions, capacities and abilities apply to standard vehicles.</b>  <b>Actual consumption will vary with vehicle loading, driving style, climatic and road conditions.</b>  <b>The above information is effective as at April 2019 and is subject to change.</b></p>		

Vehicle Tare mass given at 90% tank filling without driver (75kg). Selected optional extras increase the unloaded weight of the vehicle.

## \*Fuel Consumption and Carbon Dioxide Emission Figures

The figures reflected were obtained in accordance with prescribed uniform measuring standards (SANS 20101: 2006 / ECE R101: 2005 in their currently applicable versions) under laboratory type conditions. The measuring standards are stipulated by law. They do not apply to a specific vehicle and are provided to enable comparison between different vehicle models tested using the same uniform measuring standard. The values are accordingly not necessarily representative of real-life driving conditions. Factors such as driving style, vehicle load, road conditions, tyre size, traffic and ambient conditions may result in different fuel consumption and carbon dioxide emission levels to those achieved under the test parameters referred to above. More details are contained in the owner's manual.

\*\*A combination of leather and high quality materials.

**This information was effective as at April 2019 and is subject to change without notice.  
Visit us at [vw.co.za](http://vw.co.za)  
©Volkswagen South Africa**

