

Transporter Crew Bus



Commercial
Vehicles





Transporter Crew Bus Specifications.

X = standard O = optional - = not available

Transporter Crew Bus Specification	Transporter Crew Bus 5-Seater 2.0 BiTDI® 132kW 4MOTION® DSG® SWB	Transporter Crew Bus 8-Seater 2.0 BiTDI® 132kW 4MOTION® DSG® SWB
Engine		
Cylinders	4	4
Capacity (cm³)	1968	1968
Output (kW @ r/min)	132 @ 4000	132 @ 4000
Torque (Nm @ r/min)	400 @ 1500-2000	400 @ 1500-2000
CO ₂ emissions (g/km)*	214	214
Transmission		
5-speed manual	-	-
7-speed DSG®	X	X
Performance		
Acceleration in seconds (0-100 km/h)	10,9	10,9
Top speed (km/h)	182	182
Fuel Consumption		
Urban cycle (litres / 100 km)*	11,1	11,1
Extra-urban cycle (litres / 100 km)*	7,5	7,5
Combined cycle (litres / 100 km)*	8,8	8,8
Running Gear		
Standard suspension and shock absorption	X	X
Brakes		
ESC (Electronic Stability Control)	X	X
ABS (Anti-lock Braking System)	X	X
MCB (Automatic Post-Collision Braking System)	X	X
ASR (Anti-slip Regulation)	X	X
EDL (Electronic Differential Lock)	X	X
TCS (Traction Control System)	X	X
Hill-hold control	X	X
Mechanical rear differential lock	X	X
Wheelrims / Tyres		
16" steel wheels (20-hole style)	-	-
17" steel wheels	X	X
Tyres 205/65 R16 C 107/105T	-	-
Tyres 235/55 R17 103W XL	X	X
Full-sized spare wheel (steel)	X	X
Toolkit with jack	X	X
Dimensions / Capacities		
Fuel tank (litres)	80	80
Length (mm)	4904	4904
Width excl. mirrors (mm)	1904	1904
Width incl. mirrors (mm)	2297	2297
Height (mm)	1990	1990
Wheelbase (mm)	3000	3000
Overhang - front (mm)	908	908
Overhang - rear (mm)	993	993
Ground clearance (mm)	201	201
Approach angle (degrees)	21,2	21,2
Ramp angle (degrees)	13,7	13,7
Departure angle (degrees)	16,2	16,2

Transporter Crew Bus Specifications.

X = standard O = optional - = not available

Transporter Crew Bus Specification	Transporter Crew Bus 5-Seater 2.0 BiTDI® 132kW 4MOTION® DSG® SWB	Transporter Crew Bus 8-Seater 2.0 BiTDI® 132kW 4MOTION® DSG® SWB
Dimensions / Capacities (continued)		
Turning circle (m)	11,9	11,9
Load compartment length (mm)	1600	1600
Load compartment width (mm)	1244	1244
Load compartment height (mm)	1397	1397
Load compartment, area (m ²)	4,3	4,3
Load compartment, volume (m ³)	5,8	5,8
Sliding door, width x height (mm)	1017 x 1264	1017 x 1264
Tailgate, width x height (mm)	1473 x 1290	1473 x 1290
Gross Vehicle Mass (GVM) (kg)	2800	2800
Unladen weight, minimum (kg)	1992	1992
Payload, maximum (kg)	808	808
Axle load limit - Front / Rear (kg)	1610 / 1500	1610 / 1500
Trailer weight, 12% gradient - Braked / Unbraked (kg)	2500 / 750	2500 / 750
Gross train weight (kg), 12% gradient	5300	5300
Roof load limit (kg)	100	100
Trailer nose weight (kg)	100	100
Seats		
Number of seats	5	8
Single front passenger seat	X	X
3-seater bench (folding and tipping) in 2nd row of seats	X	-
2-seater bench on left and single seat with Easy Entry feature on right, in the 2nd row of seats (Backrests completely folding)	-	-
3 individual seats in 2nd row of seats with individually folding backrests and Easy Entry on outer seats	O	X
2-seater bench, left, with armrest on aisle side in 3rd row of seats	-	-
3-seater bench (folding backrest) in 4th row of seats	-	-
'Austin' fabric seat trim covers	X	X
Without height adjustment for left and right single seat in cab	X	X
Height-adjustable head restraints - front and rear	X	X
Windows		
Electric windows	X	X
Heated rear window	X	X
Heat-insulating glass (green)	X	X
Heat-insulating windshield made of laminated glass	X	X
Sliding windows in front and closed side panel in rear	X	-
Sliding windows in front and fixed window in rear	O	X
Mirrors		
Electrically adjustable and heated exterior mirrors (not folding)	X	X
Wiper System		
Windshield wiper with intermittent control	X	X
Rear window wiper and washer system	X	X
Safety		
Driver and front passenger airbags (incl. front passenger deactivation)	X	X
Child lock for sliding doors in passenger area	X	X
Warning buzzer and light for driver seatbelt not fastened	X	X
ISOFIX child seat anchorage in 2nd row of seats	X	X
First aid kit and warning triangle	X	X

X = standard O = optional - = not available

Transporter Crew Bus Specification	Transporter Crew Bus 5-Seater 2.0 BiTDI® 132kW 4MOTION® DSG® SWB	Transporter Crew Bus 8-Seater 2.0 BiTDI® 132kW 4MOTION® DSG® SWB
Security		
Anti-theft alarm system and back-up horn	X	X
Remote-controlled central locking with interior release mechanism	X	X
Two-tone horn	X	X
Audio and Communication		
'Composition Audio' radio with LCD screen and integrated USB	X	X
Cellphone interface	X	X
2 speakers	X	X
Interior Features		
Dashboard with narrow centre console	X	X
Rubber floor covering in cab and passenger area / load compartment (incl. rear loading edge protection)	X	X
Comfort headliner in cab with hardboard roof trim in passenger area / load compartment	X	X
Dust and pollen filter	X	X
Folding grab handles at roof frame	X	X
Climatic® airconditioning system in cab	X	X
Interior lighting	X	X
Power steering	X	X
Height- and depth-adjustable steering column	X	X
Plastic trunk sill protection	X	X
Smokers' package: 12V socket with cigarette lighter, ashtray and 2 cupholders in dashboard	X	X
Tailgate latch with remote release	X	X
Hardboard side trim panels in passenger area / load compartment	X	X
Sunvisors with mirror on driver and passenger's side	X	X
Door pockets with 2 compartments each and integrated bottle holders in cab doors	X	X
Step illumination in passenger area / load compartment	X	X
Unpainted door trim panel	X	X
Lashing rings for load restraint	6	6
Exterior Features		
Grey bumpers	X	X
Black exterior mirror housings and door handles	X	X
Separate daytime running lights (permanently switched on during driving)	X	X
Trunk lid with window	X	X
Halogen headlamps	X	X
Unpainted radiator grille with 1 chrome moulding	X	X
Headlight-range adjustment	X	X
Rear fog light	X	X
Sliding doors - left and right	X	X
Mounting points for roof rack systems	8	8
Towbar preparation (incl. trailer stabilisation)	X	X
Fixed towbar	-	-
Options		
Rough-road suspension and shock absorption	O	O
16" 'Clayton' alloy wheels	-	-
17" 'Devonport' alloy wheels	O	O

Transporter Crew Bus Specifications.

X = standard O = optional - = not available

Transporter Crew Bus Specification	Transporter Crew Bus 5-Seater 2.0 BiTDI® 132kW 4MOTION® DSG® SWB	Transporter Crew Bus 8-Seater 2.0 BiTDI® 132kW 4MOTION® DSG® SWB
Options (continued)		
Increased GVM from 2.8t to 3.0t	O	O
Increased GVM from 2.8t to 3.2t with 16" reinforced steel wheels (incl. suspension and shock absorption for vehicles with a 3.2t GVM, heavy-duty toolkit and jack)	-	-
Increased GVM from 2.8t to 3.2t with 17" reinforced steel wheels (incl. suspension and shock absorption for vehicles with a 3.2t GVM, heavy-duty toolkit and jack)	O	O
2-seater front passenger bench	O	O
Comfort seat for driver's seat (incl. height-adjustment, armrest and lumbar support)	O	O
'Simora' fabric seat trim covers	O	O
'Mesh' leatherette seat trim covers	O	O
Park Distance Control - rear	O	O
Park Distance Control - front and rear (incl. rear-view camera)	O	O
'Composition Media' radio with touch screen, USB (iPod, iPad and iPhone capable) and 4 speakers	O	O
Second battery	O	O
Detachable towbar (incl. trailer stabilisation)	O	O
Rear wing doors with heated windows	O	O
Climatic® airconditioning system in cab with 2nd evaporator and heating system in passenger area	O	X
Multi-function display and leather steering wheel with Rest Assist (fatigue detection)	O	O
Comfort Package: Cruise control and front fog lamps (incl. static cornering light)	O	O
Electrical Package: Electric windows with electrically adjustable, heated and folding exterior mirrors	O	O
Guarantees		
2-year / unlimited km manufacturer warranty	X	X
3-year / 60,000 km Genuine AutoMotion Service Plan	X	X
15,000 km service intervals	X	X
12-year anti-corrosion warranty	X	X
Disclaimer		
<p>Dimensions, capacities and abilities apply to standard vehicles. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions. The above information is effective as at April 2019 and is subject to change.</p>		

X = standard O = optional - = not available

Transporter Crew Bus Specification	Transporter Crew Bus 10-seater 2.0 TDI 75kW LWB	Transporter Crew Bus 2.0 TDI 103kW DSG® LWB	Transporter Crew Bus 5-seater 2.0 BiTDI® 132kW 4MOTION® DSG® LWB	Transporter Crew Bus 8-seater 2.0 BiTDI® 132kW 4MOTION® DSG® LWB
Engine				
Cylinders	4	4	4	4
Capacity (cm³)	1968	1968	1968	1968
Output (kW @ r/min)	75 @ 3000-3750	103 @ 3500	132 @ 4000	132 @ 4000
Torque (Nm @ r/min)	250 @ 1500-2500	340 @ 1750-2500	400 @ 1500-2000	400 @ 1500-2000
CO ₂ emissions (g/km)*	209	218	214	214
Transmission				
5-speed manual	X	-	-	-
7-speed DSG®	-	X	X	X
Performance				
Acceleration in seconds (0-100 km/h)	16,4	13,0	10,9	10,9
Top speed (km/h)	157	172	182	182
Fuel Consumption				
Urban cycle (litres / 100 km)*	9,5	10,2	11,1	11,1
Extra-urban cycle (litres / 100 km)*	6,1	6,7	7,5	7,5
Combined cycle (litres / 100 km)*	7,3	8,0	8,8	8,8
Running Gear				
Standard suspension and shock absorption	X	X	X	X
Brakes				
ESC (Electronic Stability Control)	X	X	X	X
ABS (Anti-lock Braking System)	X	X	X	X
MCB (Automatic Post-collision Braking System)	X	X	X	X
ASR (Anti-slip Regulation)	X	X	X	X
EDL (Electronic Differential Lock)	X	X	X	X
TCS (Traction Control System)	X	X	X	X
Hill-hold control	X	X	X	X
Mechanical rear differential lock	-	-	X	X
Wheelrims / Tyres				
16" steel wheels (20-hole style)	-	X	-	-
17" steel wheels	X	-	X	X
Tyres 205/65 R16 C 107/105T	-	X	-	-
Tyres 235/55 R17 103W XL	X	-	X	X
Full-sized spare wheel (steel)	X	X	X	X
Toolkit with jack	X	X	X	X
Dimensions / Capacities				
Fuel tank (litres)	80	80	80	80
Length (mm)	5304	5304	5304	5304
Width excl. mirrors (mm)	1904	1904	1904	1904
Width incl. mirrors (mm)	2297	2297	2297	2297
Height (mm)	1990	1990	1990	1990
Wheelbase (mm)	3400	3400	3400	3400
Overhang - front (mm)	908	908	908	908
Overhang - rear (mm)	993	993	993	993
Ground clearance (mm)	202	202	202	202
Approach angle (degrees)	21,2	21,2	21,2	21,2
Ramp angle (degrees)	12,2	12,2	12,2	12,2
Departure angle (degrees)	16,2	16,2	16,2	16,2

Transporter Crew Bus Specifications.

X = standard O = optional - = not available

Transporter Crew Bus Specification	Transporter Crew Bus 10-seater 2.0 TDI 75kW LWB	Transporter Crew Bus 2.0 TDI 103kW DSG® LWB	Transporter Crew Bus 5-seater 2.0 BiTDI® 132kW 4MOTION® DSG® LWB	Transporter Crew Bus 8-seater 2.0 BiTDI® 132kW 4MOTION® DSG® LWB
Dimensions / Capacities (continued)				
Turning circle (m)	13,2	13,2	13,2	13,2
Load compartment length (mm)	1967	1967	1967	1967
Load compartment width (mm)	1244	1244	1244	1244
Load compartment height (mm)	1394	1394	1394	1394
Load compartment, area (m ²)	5,0	5,0	5,0	5,0
Load compartment, volume (m ³)	6,7	6,7	6,7	6,7
Sliding door, width x height (mm)	1017 x 1264	1017 x 1264	1017 x 1264	1017 x 1264
Tailgate, width x height (mm)	1473 x 1290	1473 x 1290	1473 x 1290	1473 x 1290
Gross Vehicle Mass (GVM) (kg)	3200	2800	3000	3000
Unladen weight, minimum (kg)	2011	1976	1986	1986
Payload, maximum (kg)	1189	824	1014	1014
Axle load limit - Front / Rear (kg)	1610 / 1500	1610 / 1500	1610 / 1500	1610 / 1500
Trailer weight, 12% gradient - Braked / Unbraked (kg)	2200 / 750	2500 / 750	2200 / 750	2200 / 750
Gross train weight (kg), 12% gradient	4900	5300	4900	4900
Roof load limit (kg)	100	100	100	100
Trailer nose weight (kg)	100	100	100	100
Seats				
Number of seats	10	5	5	8
Single front passenger seat	X	X	X	X
3-seater bench (folding and tipping) in 2nd row of seats	-	X	X	X
2-seater bench on left and single seat with Easy Entry feature on right, in the 2nd row of seats (Backrests completely folding)	X	-	-	-
3 individual seats in 2nd row of seats with individually folding backrests and Easy Entry on outer seats	-	O	O	X
2-seater bench, left, with armrest on aisle side in 3rd row of seats	X	-	-	-
3-seater bench (folding backrest), in 4th row of seats	X	-	-	-
'Austin' fabric seat trim covers	X	X	X	X
Without height adjustment for left and right single seat in cab	X	X	X	X
Height-adjustable head restraints - front and rear	X	X	X	X
Windows				
Electric windows	X	X	X	X
Heated rear window	X	X	X	X
Heat-insulating glass (green)	X	X	X	X
Heat-insulating windshield made of laminated glass	X	X	X	X
Sliding windows in front and closed side panel in rear	-	X	X	-
Sliding windows in front and fixed window in rear	X	O	O	X
Mirrors				
Electrically adjustable and heated exterior mirrors (not folding)	X	X	X	X
Wiper System				
Windshield wiper with intermittent control	X	X	X	X
Rear window wiper and washer system	X	X	X	X
Safety				
Driver and front passenger airbags (incl. front passenger deactivation)	X	X	X	X
Child lock for sliding doors in passenger area	X	X	X	X

X = standard O = optional - = not available

Transporter Crew Bus Specification	Transporter Crew Bus 10-seater 2.0 TDI 75kW LWB	Transporter Crew Bus 2.0 TDI 103kW DSG® LWB	Transporter Crew Bus 5-seater 2.0 BiTDI® 132kW 4MOTION® DSG® LWB	Transporter Crew Bus 8-seater 2.0 BiTDI® 132kW 4MOTION® DSG® LWB
Safety				
Warning buzzer and light for driver seatbelt not fastened	X	X	X	X
ISOFIX child seat anchorage in 2nd row of seats (and 3rd row for 10-seater)	X	X	X	X
First aid kit and warning triangle	X	X	X	X
Security				
Anti-theft alarm system and back-up horn	X	X	X	X
Remote-controlled central locking with interior release mechanism	X	X	X	X
Two-tone horn	X	X	X	X
Audio and Communication				
'Composition Audio' radio with LCD screen and integrated USB	X	X	X	X
Cellphone interface	X	X	X	X
2 speakers	X	X	X	X
Interior Features				
Dashboard with narrow centre console	X	X	X	X
Rubber floor covering in cab and passenger area / load compartment (incl. rear loading edge protection)	X	X	X	X
Comfort headliner in cab with hardboard roof trim in passenger area / load compartment	X	X	X	X
Dust and pollen filter	X	X	X	X
Folding grab handles at roof frame	X	X	X	X
Climatic® airconditioning system in cab	X	X	X	X
Interior lighting	X	X	X	X
Power steering	X	X	X	X
Height- and depth-adjustable steering column	X	X	X	X
Plastic trunk sill protection	X	X	X	X
Smokers' package: 12V socket with cigarette lighter, ashtray and 2 cupholders in dashboard	X	X	X	X
Tailgate latch with remote release	X	X	X	X
Hardboard side trim panels in passenger area / load compartment	X	X	X	X
Sunvisors with mirror on driver and passenger's side	X	X	X	X
Door pockets with 2 compartments each and integrated bottle holders in cab doors	X	X	X	X
Step illumination in passenger area / load compartment	X	X	X	X
Unpainted door trim panel	X	X	X	X
Lashing rings for load restraint	8	8	8	8
Exterior Features				
Grey bumpers	X	X	X	X
Black exterior mirror housings and door handles	X	X	X	X
Separate daytime running lights (permanently switched on during driving)	X	X	X	X
Trunk lid with window	X	X	X	X
Halogen headlamps	X	X	X	X
Unpainted radiator grille with 1 chrome moulding	X	X	X	X
Headlight-range adjustment	X	X	X	X
Rear fog light	X	X	X	X
Sliding doors - left and right	X	X	X	X

Transporter Crew Bus Specifications.

X = standard O = optional - = not available

Transporter Crew Bus Specification	Transporter Crew Bus 10-seater 2.0 TDI 75kW LWB	Transporter Crew Bus 2.0 TDI 103kW DSG® LWB	Transporter Crew Bus 5-seater 2.0 BiTDI® 132kW 4MOTION® DSG® LWB	Transporter Crew Bus 8-seater 2.0 BiTDI® 132kW 4MOTION® DSG® LWB
Exterior Features (continued)				
Mounting points for roof rack systems	10	10	10	10
Towbar preparation (incl. trailer stabilisation)	-	X	X	X
Fixed towbar	X	-	-	-
Options				
Rough-road suspension and shock absorption	O	O	O	O
16" 'Clayton' alloy wheels	-	O	-	-
17" 'Devonport' alloy wheels	-	O	O	O
Increased GVM from 2.8t to 3.0t	X	O	X	X
Increased GVM from 2.8t to 3.2t with 16" reinforced steel wheels (incl. suspension and shock absorption for vehicles with a 3.2t GVM, heavy-duty toolkit and jack)	-	O	-	-
Increased GVM from 2.8t to 3.2t with 17" reinforced steel wheels (incl. suspension and shock absorption for vehicles with a 3.2t GVM, heavy-duty toolkit and jack)	X	-	O	O
2-seater front passenger bench	O	O	O	-
Comfort seat for driver's seat (incl. height-adjustment, armrest and lumbar support)	O	O	O	O
'Simora' fabric seat trim covers	O	O	O	O
'Mesh' leatherette seat trim covers	O	O	O	O
Park Distance Control - rear	O	O	O	O
Park Distance Control - front and rear (incl. rear-view camera)	O	O	O	O
'Composition Media' radio with touch screen, USB (iPod, iPad and iPhone capable) and 4 speakers	O	O	O	O
Second battery	O	O	O	O
Detachable towbar (incl. trailer stabilisation)	-	O	O	O
Rear wing doors with heated windows	O	O	O	O
Climatic® airconditioning system in cab with 2nd evaporator and heating system in passenger area	X	O	O	X
Multi-function display and leather steering wheel with Rest Assist (fatigue detection)	O	O	O	O
Comfort Package: Cruise control and front fog lamps (incl. static cornering light)	O	O	O	O
Electrical Package: Electric windows with electrically adjustable, heated and folding exterior mirrors	O	O	O	O
Guarantees				
2-year / unlimited km manufacturer warranty	X	X	X	X
3-year / 60,000 km Genuine AutoMotion Service Plan	X	X	X	X
15,000 km service intervals	X	X	X	X
12-year anti-corrosion warranty	X	X	X	X
Disclaimer				
<p>Dimensions, capacities and abilities apply to standard vehicles. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions. The above information is effective as at April 2019 and is subject to change.</p>				

This information was effective as at April 2019 and is subject to change without notice.
Visit us at vw.co.za
©Volkswagen South Africa

Vehicle Tare mass given at 90% tank filling without driver (75kg). Selected optional extras increase the unloaded weight of the vehicle.

***Fuel Consumption and Carbon Dioxide Emission Figures**

The figures reflected were obtained in accordance with prescribed uniform measuring standards (SANS 20101: 2006 / ECE R101: 2005 in their currently applicable versions) under laboratory type conditions. The measuring standards are stipulated by law. They do not apply to a specific vehicle and are provided to enable comparison between different vehicle models tested using the same uniform measuring standard. The values are accordingly not necessarily representative of real-life driving conditions. Factors such as driving style, vehicle load, road conditions, tyre size, traffic and ambient conditions may result in different fuel consumption and carbon dioxide emission levels to those achieved under the test parameters referred to above. More details are contained in the owner's manual.



Transporter