

Transporter Crew Bus



Commercial
Vehicles





Transporter Crew Bus Specifications.

X = standard O = optional - = not available

Transporter Crew Bus Specification	Transporter Crew Bus 2.0 TDI 75kW SWB	Transporter Crew Bus 2.0 TDI 103kW 4MOTION® SWB	Transporter Crew Bus 2.0 BiTDI® 132kW DSG® SWB	Transporter Crew Bus 2.0 BiTDI® 132kW 4MOTION® DSG® SWB
Engine				
Cylinders	4	4	4	4
Capacity (cm³)	1968	1968	1968	1968
Output (kW @ r/min)	75 @ 3000-3750	103 @ 3500	132 @ 4000	132 @ 4000
Torque (Nm @ r/min)	250 @ 1500-2500	340 @ 1750-2500	400 @ 1500-2000	400 @ 1500-2000
CO ₂ emissions (g/km)*	193	219	195	214
Transmission				
5-speed manual	X	-	-	-
6-speed manual	-	X	-	-
7-speed DSG®	-	-	X	X
Performance				
Acceleration in seconds (0-100 km/h)	16,4	13,5	10,3	10,9
Top speed (km/h)	157	170	184	182
Fuel Consumption				
Urban cycle (litres / 100km)*	9,5	10,4	10,2	11,1
Extra-urban cycle (litres / 100km)*	6,1	7,1	6,9	7,5
Combined cycle (litres / 100km)*	7,3	8,3	8,1	8,8
Running Gear				
Standard suspension and shock absorption	X	X	X	X
Brakes				
ESC (Electronic Stability Control)	X	X	X	X
ABS (Anti-lock Braking System)	X	X	X	X
MCB (Automatic Post-Collision Braking System)	X	X	X	X
ASR (Anti-slip Regulation)	X	X	X	X
EDL (Electronic Differential Lock)	X	X	X	X
TCS (Traction Control System)	X	X	X	X
Hill-hold control	X	X	X	X
Mechanical rear differential lock	-	X	-	X
Wheelrims / Tyres				
16" steel wheels (20-hole style)	X	-	-	-
17" steel wheels	-	X	X	X
Tyres 205/65 R16 C 107/105T	X	-	-	-
Tyres 235/55 R17 103W XL	-	X	X	X
Full-sized spare wheel (steel)	X	X	X	X
Tool kit with jack	X	X	X	X
Dimensions / Capacities				
Fuel tank (litres)	80	80	80	80
Length (mm)	4904	4904	4904	4904
Width excl. mirrors (mm)	1904	1904	1904	1904
Width incl. mirrors (mm)	2297	2297	2297	2297
Height (mm)	1990	1990	1990	1990
Wheelbase (mm)	3000	3000	3000	3000
Track - front (mm)	908	908	908	908
Track - rear (mm)	993	993	993	993
Ground clearance (mm)	201	201	201	201
Approach angle (degrees)	21,2	21,2	21,2	21,2
Ramp angle (degrees)	13,7	13,7	13,7	13,7
Departure angle (degrees)	16,2	16,2	16,2	16,2

Transporter Crew Bus Specification	Transporter Crew Bus 2.0 TDI 75kW SWB	Transporter Crew Bus 2.0 TDI 103kW 4MOTION® SWB	Transporter Crew Bus 2.0 BiTDI® 132kW DSG® SWB	Transporter Crew Bus 2.0 BiTDI® 132kW 4MOTION® DSG® SWB
Dimensions / Capacities (continued)				
Turning circle (m)	11,9	11,9	11,9	11,9
Load compartment length (mm)	1600	1600	1600	1600
Load compartment width (mm)	1244	1244	1244	1244
Load compartment height (mm)	1397	1397	1397	1397
Load compartment, area (m²)	4,3	4,3	4,3	4,3
Load compartment, volume (m³)	5,8	5,8	5,8	5,8
Sliding door, width x height (mm)	1017 x 1264	1017 x 1264	1017 x 1264	1017 x 1264
Tailgate, width x height (mm)	1473 x 1290	1473 x 1290	1473 x 1290	1473 x 1290
Gross Vehicle Mass (GVM) (kg)	2800	2800	2800	2800
Unladen weight, minimum (kg)	1976	1976	1976	1992
Payload, maximum (kg)	824	824	824	808
Axle load limit - Front / Rear (kg)	1550 / 1400	1610 / 1500	1610 / 1500	1610 / 1500
Trailer weight, 12% gradient - Braked / Unbraked (kg)	2200 / 750	2200 / 750	2500 / 750	2200 / 750
Gross train weight (kg), 12% gradient	4900	5300	5300	5300
Roof load limit (kg)	100	100	100	100
Trailer nose weight (kg)	100	100	100	100
Seats				
Number of seats	5	5	5	5
Single front passenger seat	X	X	X	X
3-seater bench (folding and tipping) in 2nd row of seats	X	X	X	X
3 individual seats in 2nd row of seats with individually folding backrests and Easy Entry on outer seats (Only available for up to 8 seats)	O	O	O	O
'Austin' fabric seat trim covers	X	X	X	X
Without height adjustment for left and right single seat in cab	X	X	X	X
Height-adjustable head restraints - front and rear	X	X	X	X
Windows				
Electric windows	X	X	X	X
Heated rear window	X	X	X	X
Heat-insulating glass (green)	X	X	X	X
Heat-insulating windshield made of laminated glass	X	X	X	X
Sliding windows in front and closed side panel in rear	X	X	X	X
Sliding windows in front and fixed window in rear	O	O	O	O
Mirrors				
Electrically adjustable and heated exterior mirrors (not folding)	X	X	X	X
Wiper System				
Windshield wiper with intermittent control	X	X	X	X
Rear window wiper and washer system	X	X	X	X
Safety				
Driver and front passenger airbags (incl. front passenger deactivation)	X	X	X	X
Child lock for sliding doors in passenger area	X	X	X	X
Warning buzzer and light for driver seatbelt not fastened	X	X	X	X
ISOFIX child seat anchorage in 2nd row of seats (and 3rd row for 10-seater)	X	X	X	X
First aid kit and warning triangle	X	X	X	X
Security				
Anti-theft alarm system and back-up horn	X	X	X	X
Remote-controlled central locking with interior release mechanism	X	X	X	X
Two-tone horn	X	X	X	X

Transporter Crew Bus Specification	Transporter Crew Bus 2.0 TDI 75kW SWB	Transporter Crew Bus 2.0 TDI 103kW 4MOTION® SWB	Transporter Crew Bus 2.0 BiTDI® 132kW DSG® SWB	Transporter Crew Bus 2.0 BiTDI® 132kW 4MOTION® DSG® SWB
Audio and Communication				
'Composition Audio' radio with LCD screen and integrated USB	X	X	X	X
Cellphone interface	X	X	X	X
2 speakers	X	X	X	X
Interior Features				
Dashboard with narrow centre console	X	X	X	X
Rubber floor covering in cab and passenger area / load compartment (incl. rear loading edge protection)	X	X	X	X
Comfort headliner in cab with hardboard roof trim in passenger area / load compartment	X	X	X	X
Dust and pollen filter	X	X	X	X
Folding grab handles at roof frame	X	X	X	X
Climatic® airconditioning system in cab	X	X	X	X
Interior lighting	X	X	X	X
Power steering	X	X	X	X
Height- and depth-adjustable steering column	X	X	X	X
Plastic trunk sill protection	X	X	X	X
Smokers' package: 12V socket with cigarette lighter, ashtray and 2 cupholders in dashboard	X	X	X	X
Tailgate latch with remote release	X	X	X	X
Hardboard side trim panels in passenger area / load compartment	X	X	X	X
Sunvisors with mirror on driver and passenger's side	X	X	X	X
Door pockets with 2 compartments each and integrated bottle holders in cab doors	X	X	X	X
Step illumination in passenger area / load compartment	X	X	X	X
Unpainted door trim panel	X	X	X	X
Lashing rings for load restraint	6	6	6	6
Exterior Features				
Grey bumpers	X	X	X	X
Black exterior mirror housings and door handles	X	X	X	X
Separate daytime running lights (permanently switched on during driving)	X	X	X	X
Trunk lid with window	X	X	X	X
Halogen headlamps	X	X	X	X
Unpainted radiator grille with 1 chrome moulding	X	X	X	X
Headlight-range adjustment	X	X	X	X
Rear fog light	X	X	X	X
Sliding doors - left and right	X	X	X	X
Mounting points for roof rack systems	8	8	8	8
Fixed towbar	-	-	-	-
Options				
Rough-road suspension and shock absorption	O	O	O	O
Plastic medium-high roof in Candy White or body colour	O	O	O	O
16" 'Clayton' alloy wheels	O	-	-	-
17" 'Devonport' alloy wheels	O	O	O	O
Increased GVM from 2.8t to 3.0t	O	O	O	O
Increased GVM from 2.8t to 3.2t with 16" reinforced steel wheels (incl. suspension and shock absorption for vehicles with a 3.2t GVM , heavy-duty tool kit and jack)	O	-	-	-
Increased GVM from 2.8t to 3.2t with 17" reinforced steel wheels (incl. suspension and shock absorption for vehicles with a 3.2t GVM , heavy-duty tool kit and jack)	-	O	O	O

Transporter Crew Bus Specification	Transporter Crew Bus 2.0 TDI 75kW SWB	Transporter Crew Bus 2.0 TDI 103kW 4MOTION® SWB	Transporter Crew Bus 2.0 BiTDI® 132kW DSG® SWB	Transporter Crew Bus 2.0 BiTDI® 132kW 4MOTION® DSG® SWB
Options (continued)				
6-seater package (2-seater front passenger bench)	O	O	O	O
8-seater package (3-seater bench in 3rd row of seats)	O	O	O	O
9-seater package (2-seater front passenger bench and 3-seater bench in 3rd row of seats)	O	O	O	O
Comfort seat for driver's seat (incl. height-adjustment, armrest and lumbar support)	O	O	O	O
'Simora' fabric seat trim covers	O	O	O	O
'Marathon' robust fabric seat trim covers in cab; leatherette 'Mesh' for seats in passenger area	O	O	O	O
'Mesh' leatherette seat trim covers	O	O	O	O
Park Distance Control - rear	O	O	O	O
Park Distance Control - front and rear (incl. rear view camera)	O	O	O	O
'Composition Colour' radio with touch screen, USB (iPod, iPad and iPhone capable) and 4 speakers	O	O	O	O
Second battery	O	O	O	O
Towbar preparation (incl. trailer stabilisation)	O	O	O	O
Detachable towbar (incl. trailer stabilisation)	O	O	O	O
Rear wing doors without windows	O	O	O	O
Rear wing doors with heated windows	O	O	O	O
Metallic paint	O	O	O	O
Climatic® airconditioning system in cab with 2nd evaporator and heating system in passenger area	O	O	O	O
Multi-function display and leather steering wheel with Rest Assist (fatigue detection)	O	O	O	O
Comfort Package: Cruise control and front fog lamps (incl. static cornering light)	O	O	O	O
Electrical Package: Electric windows with electrically adjustable, heated and folding exterior mirrors	O	O	O	O
Guarantees				
2-year / unlimited km manufacturer warranty	X	X	X	X
3-year / 60,000km Genuine AutoMotion Service Plan	X	X	X	X
15,000 km service intervals	X	X	X	X
12-year anti-corrosion warranty	X	X	X	X

Transporter Crew Bus Specification	Transporter Crew Bus 2.0 TDI 75kW LWB	Transporter Crew Bus 2.0 TDI 75kW LWB 10-seater	Transporter Crew Bus 2.0 TDI 103kW 4MOTION® LWB	Transporter Crew Bus 2.0 TDI 103kW DSG® LWB	Transporter Crew Bus 2.0 BiTDI 132kW 4MOTION® DSG® LWB
Engine					
Cylinders	4	4	4	4	4
Capacity (cm³)	1968	1968	1968	1968	1968
Output (kW @ r/min)	75 @ 3000-3750	75 @ 3000-3750	103 @ 3500	103 @ 3500	132 @ 4000
Torque (Nm @ r/min)	250 @ 1500-2500	250 @ 1500-2500	340 @ 1750-2500	340 @ 1750-2500	400 @ 1500-2000
CO ₂ emissions (g/km)*	193	193	199	211	214
Transmission					
5-speed manual	X	X	-	-	-
6-speed manual	-	-	X	-	-
7-speed DSG®	-	-	-	X	X
Performance					
Acceleration in seconds (0-100 km/h)	16,4	16,4	13,6	13,0	10,9
Top speed (km/h)	157	157	170	172	182
Fuel Consumption					
Urban cycle (litres / 100km)*	9,5	9,5	10,4	10,2	11,1
Extra-urban cycle (litres / 100km)*	6,1	6,1	7,5	6,7	7,5
Combined cycle (litres / 100km)*	7,3	7,3	8,6	8,0	8,8
Running Gear					
Standard suspension and shock absorption	X	X	X	X	X
Brakes					
ESC (Electronic Stability Control)	X	X	X	X	X
ABS (Anti-lock Braking System)	X	X	X	X	X
MCB (Automatic Post-Collision Braking System)	X	X	X	X	X
ASR (Anti-slip Regulation)	X	X	X	X	X
EDL (Electronic Differential Lock)	X	X	X	X	X
TCS (Traction Control System)	X	X	X	X	X
Hill-hold control	X	X	X	X	X
Mechanical rear differential lock	-	-	X	-	X
Wheelrims / Tyres					
16" steel wheels (20-hole style)	X	-	-	X	-
17" steel wheels	-	X	X	-	X
Tyres 205/65 R16 C 107/105T	X	-	-	X	-
Tyres 235/55 R17 103W XL	-	X	X	-	X
Full-sized spare wheel (steel)	X	X	X	X	X
Tool kit with jack	X	X	X	X	X
Dimensions / Capacities					
Fuel tank (litres)	80	80	80	80	80
Length (mm)	5304	5304	5304	5304	5304
Width excl. mirrors (mm)	1904	1904	1904	1904	1904
Width incl. mirrors (mm)	2297	2297	2297	2297	2297
Height (mm)	1990	1990	1990	1990	1990
Wheelbase (mm)	3400	3400	3400	3400	3400
Track - front (mm)	908	908	908	908	908
Track - rear (mm)	993	993	993	993	993
Ground clearance (mm)	202	202	202	202	202
Approach angle (degrees)	21,2	21,2	21,2	21,2	21,2
Ramp angle (degrees)	12,2	12,2	12,2	12,2	12,2
Departure angle (degrees)	16,2	16,2	16,2	16,2	16,2
Turning circle (m)	13,2	13,2	13,2	13,2	13,2
Load compartment length (mm)	1967	1967	1967	1967	1967
Load compartment width (mm)	1244	1244	1244	1244	1244

Transporter Crew Bus Specification	Transporter Crew Bus 2.0 TDI 75kW LWB	Transporter Crew Bus 2.0 TDI 75kW LWB 10-seater	Transporter Crew Bus 2.0 TDI 103kW 4MOTION® LWB	Transporter Crew Bus 2.0 TDI 103kW DSG® LWB	Transporter Crew Bus 2.0 BITDI 132kW 4MOTION® DSG® LWB
Dimensions / Capacities (continued)					
Load compartment height (mm)	1394	1394	1394	1394	1394
Load compartment, area (m²)	5,0	5,0	5,0	5,0	5,0
Load compartment, volume (m³)	6,7	6,7	6,7	6,7	6,7
Sliding door, width x height (mm)	1017 x 1264	1017 x 1264	1017 x 1264	1017 x 1264	1017 x 1264
Tailgate, width x height (mm)	1473 x 1290	1473 x 1290	1473 x 1290	1473 x 1290	1473 x 1290
Gross Vehicle Mass (GVM) (kg)	2800	3200	3000	2800	3000
Unladen weight, minimum (kg)	1986	2011	2011	1976	1986
Payload, maximum (kg)	814	1189	989	824	1014
Axle load limit - Front / Rear (kg)	1610 / 1500	1610 / 1500	1610 / 1500	1610 / 1500	1610 / 1500
Trailer weight, 12% gradient - Braked / Unbraked (kg)	2200 / 750	2200 / 750	2500 / 750	2500 / 750	2200 / 750
Gross train weight (kg), 12% gradient	4900	4900	5300	5300	4900
Roof load limit (kg)	100	100	100	100	100
Trailer nose weight (kg)	100	100	100	100	100
Seats					
Number of seats	5	10	5	5	5
Single front passenger seat	X	X	X	X	X
3-seater bench (folding and tipping) in 2nd row of seats	X	-	X	X	X
2-seater bench on left and single seat with Easy Entry feature on right, in the 2nd row of seats (Backrests completely folding)	O	X	O	O	-
3 individual seats in 2nd row of seats with individually folding backrests and Easy Entry on outer seats (Only available for up to 8 seats)	O	-	O	O	O
2-seater bench, left, with armrest on aisle side in 3rd row of seats	-	X	O	O	-
3-seater bench (folding backrest), in 4th row of seats	-	X	O	O	-
'Austin' fabric seat trim covers	X	X	X	X	X
Without height adjustment for left and right single seat in cab	X	X	X	X	X
Height-adjustable head restraints - front and rear	X	X	X	X	X
Windows					
Electric windows	X	X	X	X	X
Heated rear window	X	X	X	X	X
Heat-insulating glass (green)	X	X	X	X	X
Heat-insulating windshield made of laminated glass	X	X	X	X	X
Sliding windows in front and closed side panel in rear	X	X	X	X	X
Sliding windows in front and fixed window in rear	O	X	O	O	O
Mirrors					
Electrically adjustable and heated exterior mirrors (not folding)	X	X	X	X	X
Wiper System					
Windshield wiper with intermittent control	X	X	X	X	X
Rear window wiper and washer system	X	X	X	X	X
Safety					
Driver and front passenger airbags (incl. front passenger deactivation)	X	X	X	X	X
Child lock for sliding doors in passenger area	X	X	X	X	X
Warning buzzer and light for driver seatbelt not fastened	X	X	X	X	X
ISOFIX child seat anchorage in 2nd row of seats (and 3rd row for 10-seater)	X	X	X	X	X
First aid kit and warning triangle	X	X	X	X	X

Transporter Crew Bus Specification	Transporter Crew Bus 2.0 TDI 75kW LWB	Transporter Crew Bus 2.0 TDI 75kW LWB 10-seater	Transporter Crew Bus 2.0 TDI 103kW 4MOTION® LWB	Transporter Crew Bus 2.0 TDI 103kW DSG® LWB	Transporter Crew Bus 2.0 BiTDI 132kW 4MOTION® DSG® LWB
Security (continued)					
Anti-theft alarm system and back-up horn	X	X	X	X	X
Remote-controlled central locking with interior release mechanism	X	X	X	X	X
Two-tone horn	X	X	X	X	X
Audio and Communication					
'Composition Audio' radio with LCD screen and integrated USB	X	X	X	X	X
Cellphone interface	X	X	X	X	X
2 speakers	X	X	X	X	X
Interior Features					
Dashboard with narrow centre console	X	X	X	X	X
Rubber floor covering in cab and passenger area / load compartment (incl. rear loading edge protection)	X	X	X	X	X
Comfort headliner in cab with hardboard roof trim in passenger area / load compartment	X	X	X	X	X
Dust and pollen filter	X	X	X	X	X
Folding grab handles at roof frame	X	X	X	X	X
Climatic® airconditioning system in cab	X	X	X	X	X
Interior lighting	X	X	X	X	X
Power steering	X	X	X	X	X
Height- and depth-adjustable steering column	X	X	X	X	X
Plastic trunk sill protection	X	X	X	X	X
Smokers' package: 12V socket with cigarette lighter, ashtray and 2 cupholders in dashboard	X	X	X	X	X
Tailgate latch with remote release	X	X	X	X	X
Hardboard side trim panels in passenger area / load compartment	X	X	X	X	X
Sunvisors with mirror on driver and passenger's side	X	X	X	X	X
Door pockets with 2 compartments each and integrated bottle holders in cab doors	X	X	X	X	X
Step illumination in passenger area / load compartment	X	X	X	X	X
Unpainted door trim panel	X	X	X	X	X
Lashing rings for load restraint	8	8	8	8	8
Exterior Features					
Grey bumpers	X	X	X	X	X
Black exterior mirror housings and door handles	X	X	X	X	X
Separate daytime running lights (permanently switched on during driving)	X	X	X	X	X
Trunk lid with window	X	X	X	X	X
Halogen headlamps	X	X	X	X	X
Unpainted radiator grille with 1 chrome moulding	X	X	X	X	X
Headlight-range adjustment	X	X	X	X	X
Rear fog light	X	X	X	X	X
Sliding doors - left and right	X	X	X	X	X
Mounting points for roof rack systems	10	10	10	10	10
Fixed towbar	-	X	-	-	-
Options					
Rough-road suspension and shock absorption	O	O	O	O	O
Plastic medium-high roof in Candy White or body colour	O	O	O	O	O
16" 'Clayton' alloy wheels	O	O	-	O	-
17" 'Devonport' alloy wheels	O	O	O	O	O
Increased GVM from 2.8t to 3.0t	O	X	O	O	O

Transporter Crew Bus Specification	Transporter Crew Bus 2.0 TDI 75kW LWB	Transporter Crew Bus 2.0 TDI 75kW LWB 10-seater	Transporter Crew Bus 2.0 TDI 103kW 4MOTION® LWB	Transporter Crew Bus 2.0 TDI 103kW DSG® LWB	Transporter Crew Bus 2.0 BiTDI 132kW 4MOTION® DSG® LWB
Options (continued)					
Increased GVM from 2.8t to 3.2t with 16" reinforced steel wheels (incl. suspension and shock absorption for vehicles with a 3.2t GVM , heavy-duty tool kit and jack)	O	-	-	O	-
Increased GVM from 2.8t to 3.2t with 17" reinforced steel wheels (incl. suspension and shock absorption for vehicles with a 3.2t GVM , heavy-duty tool kit and jack)	-	X	O	-	O
6-seater package (2-seater front passenger bench)	O	-	O	O	O
8-seater package (3-seater bench in 3rd row of seats)	O	-	O	O	O
9-seater package (2-seater front passenger bench and 3-seater bench in 3rd row of seats)	O	-	O	O	O
10-seater package (single front passenger seat, 3 seats in 2nd row, 2-seater bench in 3rd row & 3-seater bench in 4th row)	O	X	O	O	-
11-seater package (2-seater front passenger bench, 3 seats in 2nd row, 2-seater bench in 3rd row & 3-seater bench in 4th row)	O	-	O	O	-
Comfort seat for driver's seat (incl. height-adjustment, armrest and lumbar support)	O	O	O	O	O
'Simora' fabric seat trim covers	O	O	O	O	O
'Marathon' robust fabric seat trim covers in cab; leatherette 'Mesh' for seats in passenger area	O	O	O	O	O
'Mesh' leatherette seat trim covers	O	O	O	O	O
Park Distance Control - rear	O	O	O	O	O
Park Distance Control - front and rear (incl. rear view camera)	O	O	O	O	O
'Composition Colour' radio with touch screen, USB (iPod, iPad and iPhone capable) and 4 speakers	O	O	O	O	O
Second battery	O	O	O	O	O
Towbar preparation (incl. trailer stabilisation)	O	-	O	O	O
Detachable towbar (incl. trailer stabilisation)	O	-	O	O	O
Rear wing doors without windows	O	O	O	O	O
Rear wing doors with heated windows	O	O	O	O	O
Metallic paint	O	O	O	O	O
Climatic® airconditioning system in cab with 2nd evaporator and heating system in passenger area	O	X	O	O	O
Multi-function display and leather steering wheel with Rest Assist (fatigue detection)	O	O	O	O	O
Comfort Package: Cruise control and front fog lamps (incl. static cornering light)	O	O	O	O	O
Electrical Package: Electric windows with electrically adjustable, heated and folding exterior mirrors	O	O	O	O	O
Guarantees					
2-year / unlimited km manufacturer warranty	X	X	X	X	X
3-year / 60,000km Genuine AutoMotion Service Plan	X	X	X	X	X
15,000 km service intervals	X	X	X	X	X
12-year anti-corrosion warranty	X	X	X	X	X
Disclaimer					
<p>Dimensions, capacities and abilities apply to standard vehicles. Actual consumption will vary with vehicle loading, driving style, climatic and road conditions. The above information is effective as at May 2018 and is subject to change.</p>					

**This information was effective as at May 2018 and is subject to change without notice.
Visit us at vw.co.za
©Volkswagen South Africa**

Vehicle Tare mass given at 90% tank filling without driver (75kg). Selected optional extras increase the unloaded weight of the vehicle.

***Fuel Consumption and Carbon Dioxide Emission Figures**

The figures reflected were obtained in accordance with prescribed uniform measuring standards (SANS 20101: 2006 / ECE R101: 2005 in their currently applicable versions) under laboratory type conditions. The measuring standards are stipulated by law. They do not apply to a specific vehicle and are provided to enable comparison between different vehicle models tested using the same uniform measuring standard. The values are accordingly not necessarily representative of real-life driving conditions. Factors such as driving style, vehicle load, road conditions, tyre size, traffic and ambient conditions may result in different fuel consumption and carbon dioxide emission levels to those achieved under the test parameters referred to above. More details are contained in the owner's manual.

